GRINDLAZER®

Graco's Complete Line of Professional Scarifier Systems

PROVEN QUALITY. LEADING TECHNOLOGY.

MADE IN THE USA WITH GLOBAL COMPONENTS

THERE IS NOTHING LIKE A GRACO SCARIFYING SYSTEM

Experienced contractors know the difference. Graco GrindLazer professional scarifying solutions are recognized as solid investments that perform reliably, year after year.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality scarifying equipment available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY

Graco professional scarifying solutions are design, manufactured, and assembled in the USA with global components.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never use Graco's warranty—but if you do, we will be there.

NEW GRACO-ONLY SOLUTIONS TO IMPROVE YOUR PRODUCTIVITY

DEPTH CONTROL SYSTEM™

ELIMINATE MEASURING AND GUESSWORK

- Quickly and easily adjust the cutter depth to align with the ever-changing terrain
- Achieve accurate cut depth for tape or thermoplastic inlay

ULTIMATE CONTROL AND FLEXIBILITY

- Set "zero point" where cutter meets the surface
- Displays "active depth" from zero point
- Eliminates damage due to "dropped drums"
- English and metric units

DURABLE CONTROL DESIGN

- All electronic components are 100% encapsulated—protecting them from vibration and weather conditions
- Push buttons are completely sealed
- Aluminum control enclosure holds up to harsh jobsite environment

REMOTE HANDLEBAR SWITCH

- Control cut depth while keeping both hands on the GrindLazer — increasing safety and reducing fatigue!
- Highly durable, military-grade switch

MAINTENANCE-FREE DESIGN

- Linear drive delivers consistent, accurate movement
- High-speed design for fast on-the-fly adjustments
- Unique sealed case resists water, dust, and debris

MADE IN THE USA WITH GLOBAL COMPONENTS

INDUSTRY-PROVEN GRACO SCARIFYING SOLUTIONS

Graco offers an expanded line of GrindLazers and cutters that provide the right solutions for all of your scarifier applications.

CHOOSE THE RIGHT SERIES FOR YOUR BUSINESS

Graco is committed to professional scarifying contractors by offering four different series of scarifying solutions.

SERIES	APPLICATION	PRODUCTION RATE
HANDHELD SERIES	Touch-ups, edging, and removal in hard to reach areas	100 sq ft/hr
STANDARD SERIES	Basic surface prep, repairs,and line removal	300-400 sq ft/hr
PROFESSIONAL SERIES	All surface prep, repairs, and line removal needs; use rotary model for marking removal with leaving grooves	600-800 sq ft/hr
HIGH PRODUCTION SERIES	High production removal jobs including leveling, and inlay, and all surface coatings	1,300-2,400 sq ft/hr

graco.com/GrindLazer

DRUM STYLE MODELS	ROTARY STYLE MODELS	DRUM STYLE CUTTERS	ROTARY STYLE CUTTERS
Standard DC21 E	Standard RC71 E	Carbide Flail Carbide Star Steel Star	Carbide Flail Carbide Star Steel Star
Standard DC87 G Standard DC89 G		Wire Brush Steel Star Steel Beam Carbide Flail Carbide Flat Carbide-Tipped Miller Full-Carbide Miller	
Pro DC89 G Pro DC1013 G Pro DC1013 G DCS	Pro RC813 G Pro RC813 G DCS	Wire Brush Steel Star Steel Beam Carbide Flail Carbide Flat Carbide-Tipped Miller Full-Carbide Miller Carbide Pick Diamond Blade PCD Round PCD Flat	Wire Brush Carbide Pin 72 Carbide Pin 48 Carbide Pin 24 Carbide Pick
HP DC89 G HP DC1013 G HP DC1021 G HP DC1013 G DCS HP DC1021 G DCS	HP RC820 H HP RC1640 H HP RC1625 G		

SURFACE PREPARATION

Proper coating adhesion requires proper surface preparation. It is critical to remove all surface contaminants to leave the surface clean, dry, properly profiled, and sound.

Graco offers a full range of scarifiers and cutters to create the correct surface profile (SP) while leaving the surface looking untouched, guaranteeing good coating adhesion.

DRUM STYLE CUTTERS

CONCRETE	DIRT/DEBRIS REMOVAL	GREASE/OIL REMOVAL	CURING COMPOUND	PAINT REMOVAL	EPOXY/2K PAINT REMOVAL	THERMOPLASTIC REMOVAL	TAPE REMOVAL	TRIP HAZARD REMOVAL	SURFACE LEVELING	ANTI-SLIP GROOVING	INLAY - THERMOPLASTIC	INLAY - TAPE
WIRE BRUSH	■	□	■									
STEEL STAR		■	□									
STEEL BEAM		■	□	□								
CARBIDE FLAIL				■	■			■	■	□		
CARBIDE FLAT				■	■	□		■	■			
CARBIDE-TIPPED MILLER					□	■	■					
FULL-CARBIDE MILLER					□	■	■					
DIAMOND BLADE								□	■	■	■	■
PCD ROUND				□	□	□	□	□	■		■	□
PCD FLAT				■	■	■	□	□	□		□	□
CARBIDE PICK					■	■	■	□	■			

ROTARY STYLE CUTTERS

WIRE BRUSH	■	□	■									
CARBIDE PIN 72				■	■	□						
CARBIDE PIN 48				□	□	■	■					
CARBIDE PIN 24				□	□	□	□					
CARBIDE PICK					■	■						

■ BEST CUTTER CHOICE

□ SUITABLE CUTTER CHOICE

CONCRETE

ASPHALT

ASPHALT										
DIRT/DEBRIS REMOVAL	GREASE/OIL REMOVAL	PAINT REMOVAL	EPOXY/2K PAINT REMOVAL	THERMOPLASTIC REMOVAL	TAPE REMOVAL	TRIP HAZARD REMOVAL	SURFACE LEVELING	ANTI-SLIP GROOVING	INLAY - THERMOPLASTIC	INLAY - TAPE

SURFACE PROFILE									
SP1 (10-30 MILS)	SP2 (30-35 MILS)	SP3 (35-40 MILS)	SP4 (40-60 MILS)	SP5 (60-80 MILS)	SP6 (80-120 MILS)	SP7 (120-160 MILS)	SP8 (160-200 MILS)	SP9 (200-400 MILS)	SP10 (240-280 MILS)









GRINDLAZER HANDHELD SERIES

DC21 E AND RC71 E

The GrindLazer Standard DC21 E and Standard RC71 E are great choices for those small surface preparation jobs. Rugged, compact design makes removal of paint on horizontal and vertical surfaces quick and easy. Available in both drum (DC21 E) and rotary (RC71 E) styles.

LONG LIFE ON THE MOST CHALLENGING JOBS

- Steel and high-impact plastic construction
- Proven Makita® motor and drive

COMFORT AND FLEXIBILITY

- Reversible handle accommodates right- or left-handed users (available on DC21 E only)

MAINTENANCE-FREE DESIGN

- Sealed bearings for extended life and ease of use

DUST REMOVAL

- Vacuum port for LazerVac™ vacuum system

HANDHELD SERIES GRINDLAZERS	PART #
DC21 E w/ Carbide Flail Cutter	25M841
RC71 E w/ Carbide Flail Cutter	25M848

GRINDLAZER STANDARD SERIES

DC87 G AND DC89 G

The GrindLazer Standard DC87 G (6.5 HP) and DC89 G (9.0 HP) Series scarifiers are great options for those smaller traffic marking removal jobs, trip hazard removal, and for preparing a surface before applying new traffic markings.

JOBSITE TOUGH DESIGN

Heavy-Duty All-Steel Frame

CONTRACTOR-PREFERRED POWER

Durable Honda® Power with Cyclone™ Filter

- Cyclone filter protects the engine from harmful airborne dust

EASY MICRO AND MACRO ADJUSTMENTS

Dual Depth Control

- Multi-position lever and rotating knob controls

REDUCED VIBRATION FOR ALL-DAY COMFORT

Comfort Grip Handles

USER-FRIENDLY OPERATION

- Adjustable handlebar to fit different operators
- Easy-to-reach throttle control

BUILT-IN APPLICATION FLEXIBILITY

Swivel and Fixed Front Wheel

- Swivel Wheel for feathering applications
- Fixed Wheel for straight line removal

MAINTENANCE-FREE DESIGN

Sealed Main Bearing

- Long life and ease of use

DURABLE HIGH-TORQUE POWER TRANSFER

Triple Drive Belts

DUST REMOVAL

- Vacuum port for LazerVac vacuum system

EASY-TO-READ GAUGES

Dual Purpose Tachometer and Hour Meter

- Ideal for maintenance — ensuring your equipment is in top shape
- Displays engine RPMs while running

Standard DC89 G shown

STANDARD SERIES GRINDLAZERS	PART #
DC87 G (bare)	25M842
DC89 G (bare)	25M843

STANDARD SERIES ACCESSORIES	PART #
Dust Suppression Water Kit	25N367
Edger Kit	25M933
Steel Beam, 2" Fine Edger Drum	25N442
Carbide Flail, 2" Medium Edger Drum	25N443
Carbide Flail, 2" Fine Edger Drum	25N444

GRINDLAZER PROFESSIONAL SERIES

PRO DC89 G AND PRO DC1013 G

The GrindLazer Pro DC89 G and Pro DC1013 G are high-output drum-style cutting options with a 6.5 HP or 9 HP Honda engine, 8 in or 10 in maximum cut width, and larger selection of cutters for marking removal, leveling and, surface preparation.

Pro DC1013 G shown

FEATURES FOUND ON ALL PROFESSIONAL SERIES SCARIFIERS

JOBSITE TOUGH DESIGN

Heavy-Duty All-Steel Frame

CONTRACTOR-PREFERRED POWER

Durable 6.5 or 9.0 HP Honda Power with Cyclone Filter

- Cyclone filter protects the engine from harmful airborne dust

EFFICIENT "NO-BOUNCE" CUTTING

Center-Weight Design

- Better control for a better quality cut

EASY CUTTER DEPTH CONTROL

DialDown™ Depth Control System

- Easy to "dial down" for precise cutting depth control

ACCURATE CUTS AND LONG LIFE

- Precision All-Steel Wheel Assemblies

PROFESSIONAL SERIES GRINDLAZERS	PART #
PRO DC89 G (bare)	25N667
PRO DC1013 G (bare)	25M846

PROFESSIONAL SERIES ACCESSORIES	PART #
Dust Suppression Water Kit	25N368
High Speed Pulley Kit (for inlay applications w/Diamond Drum only)	25M893
Edger Kit	25M951
Steel Beam, 4" Fine Edger Drum	25N445
Carbide Flail, 4" Medium Edger Drum	25N446
Carbide Flail, 4" Fine Edger Drum	25N447

GRINDLAZER PROFESSIONAL SERIES

PRO DC1013 G DCS

The GrindLazer Pro DC1013 G DCS has the added benefit of a Depth Control System and Electric Start — increasing your accuracy and reducing fatigue.

Pro DC1013 G DCS shown

DEPTH CONTROL SYSTEM

ELIMINATE MEASURING AND GUESSWORK

New GrindLazer Depth Control System

- Quickly and easily adjust the cutter depth to align with ever-changing terrain
- Eliminates damage due to “dropped drums”

ULTIMATE CONTROL AND APPLICATION FLEXIBILITY

DCS Controller

- Set “zero point” where cutter meets surface
- Displays “active depth” from zero point
- English and metric units
- Robust design stands up to the harsh abuse:
  - Fully encapsulated electronic components
  - Ultimate protection from vibration, jobsite, and weather conditions

TOTAL OPERATOR CONTROL

Remote Momentary Switch

- Control cut depth while keeping both hands on the GrindLazer

REDUCED FATIGUE

Electric Start on all DCS units

- Simple start-up with the turn of a key

ANTI-VIBRATION HANDLEBARS

- Padded for minimal vibration transfer for all-day comfort

MAINTENANCE-FREE DESIGN

Sealed Main Bearing

- Long life and ease of use

ELIMINATE COSTLY DOWNTIME

Heavy-Duty Wide HTD Drive Belt

DUST REMOVAL

- Vacuum port for LazerVac vacuum system

EASY-TO-READ GAUGES

Dual Purpose Tachometer and Hour Meter

- Ideal for maintenance — ensuring your equipment is in top shape
- Displays engine RPMs while running

PROFESSIONAL SERIES GRINDLAZER	PART #
PRO DC1013 G DCS (bare)	25N668

GRINDLAZER PROFESSIONAL SERIES

PRO RC813 G

The GrindLazer Pro RC813 G is the ideal choice for when you need to remove lines without grooves. The rotary action of this scarifier hovers over the surface, resulting in line removal without leaving any ghost lines—making this the No-Groove Line Eraser.

Pro RC813 G shown

FEATURES FOUND ON ALL PROFESSIONAL SERIES SCARIFIERS

NO GHOST LINES

No-Groove Line Eraser

- Rotary cut removes lines without leaving any grooves

CONTRACTOR-PREFERRED POWER

Durable Honda Power with Electric Start

- Easy starting with the push of a button—even in cold weather

JOBSITE TOUGH DESIGN

Heavy-Duty All-Steel Frame

ULTIMATE "NO DAMAGE" CONTROL

Advanced Depth-Control System

- Independent adjustment for pitch, depth, and pressure

PROFESSIONAL SERIES GRINDLAZER	PART #
PRO RC813 G (bare)	25M847

GRINDLAZER PROFESSIONAL SERIES

PRO RC813 G DCS

The GrindLazer Pro RC813 G DCS has the added benefit of a Depth Control System—increasing your accuracy and reducing fatigue.

Pro RC813 G DCS shown

DEPTH CONTROL SYSTEM

ELIMINATE MEASURING AND GUESSWORK

New GrindLazer Depth Control System

- Quickly and easily adjust the cutter depth to align with ever-changing terrain
- Eliminates damage due to "dropped cutters"

POWERED by HONDA

ULTIMATE CONTROL AND APPLICATION FLEXIBILITY

DCS Controller

- Set "zero point" where cutter meets surface
- Displays "active depth" from zero point
- English and metric units
- Robust design stands up the harsh abuse
  - Fully encapsulated electronic components
  - Ultimate protection from vibration, jobsite, and weather conditions

TOTAL OPERATOR CONTROL

Remote Momentary Switch

- Control cut depth while keeping both hands on the GrindLazer

JOBSITE TOUGH

Linear Actuator

- Robust linear motor stands up to highly abusive environments

QUICK CUTTER REMOVAL

Tilt-Up Chassis

- Toolless design for quick, easy cutter change-out

ALL-DAY COMFORT

Adjustable, Anti-Vibration Handle Bars

- Padded and adjustable for all users

DUST REMOVAL

- Vacuum port for LazerVac vacuum system

MAINTENANCE-FREE DESIGN

Sealed Bearings

- Maintenance-free design for long life and ease of use

EASY-TO-READ GAUGES

Dual Purpose Tachometer and Hour Meter

- Ideal for maintenance—ensuring your equipment is in top shape
- Displays engine RPMs while running

PROFESSIONAL SERIES GRINDLAZER	PART #
PRO RC813 G DCS (bare)	25N669

GRINDLAZER
HIGH PRODUCTION SERIES
HP DC89 G AND HP DC1013 G

The GrindLazer HP DC89 G and HP DC1013 G provide high production, general line removal. With 9 HP or 13 HP Honda engines, 8 in or 10 in maximum cut widths, and larger selection of cutters, the rugged, innovative designs mean you can count on either to perform for a lifetime of use. The EasyGlide™ Wheel Mount System allows either to be used with a LineDriver® as well.

HP DC89 G shown

DOUBLE YOUR PRODUCTIVITY
Add a LineDriver for unmatched performance

FEATURES FOUND ON ALL HIGH PRODUCTION SERIES SCARIFIERS

MAXIMUM ROAD HANDLING

TriBelt™ Drive System

- 3-cog belt design optimizes power transfer and eliminates costly downtime

FAST, EASY TURNING

Fat Track™ Front Swivel Wheel

- Proven front caster wheel system makes turning fast and easy
- Maneuver curves better
- No need to “muscle it” while moving

SAFER, EASIER TO MANEUVER

EasyGlide Wheel Mount System

- Front-mounted caster along with dual rear pneumatic air-filled tires
- Pneumatic air-filled tires help eliminate vibration

SAFER OPERATION

Extreme-Duty ProStart™ System

- Easy cutter start/stop with centrifugal clutch
- Easy cold-weather starting
- Provides longer belt life and eliminates broken recoils

HIGH PRODUCTION SERIES GRINDLAZERS	PART #
HP DC89 G (bare)	25M992
HP DC1013 G (bare)	25M993

HP SERIES ACCESSORIES	PART #
Dust Suppression Water Kit	25N367
Retractable Line Pointer Guide	24D984

GRINDLAZER HIGH PRODUCTION SERIES

HP DC1013 G DCS

The GrindLazer HP DC1013 G DCS has the added benefit of a Depth Control System and Electric Start — increasing your accuracy and reducing fatigue.

ELIMINATE MEASURING AND GUESSWORK

New GrindLazer Depth Control System

- Quickly and easily adjust the cutter depth to align with ever-changing terrain
- Eliminates damage due to dropped drums

HP DC1013 G DCS shown

ULTIMATE CONTROL AND APPLICATION FLEXIBILITY

DCS Controller

- Set "zero point" where cutter meets surface
- Displays "active depth" from zero point
- English and metric units
- Robust design stands up the harsh abuse:
  - Fully encapsulated electronic components
  - Ultimate protection from vibration, jobsite, and weather conditions

TOTAL OPERATOR CONTROL

Remote Momentary Switch

- Control cut depth while keeping both hands on the GrindLazer

REDUCED FATIGUE

Electric Start on all DCS units

- Simple start-up with the turn of a key

EASY CUTTER DEPTH CONTROL

DialDown Depth Control System

- Easy to "dial down" for precise cutting depth control with multiple positions

ALL-DAY COMFORT

Vibration Reduction Technology

- Up to 4X less vibration than the competition
- Pneumatic air-filled tires, comfort grips, and cart design combine to eliminate vibration, reducing user fatigue
- Comfort-grip handlebars for precise steering

ULTIMATE REMOVAL

InstaCut Technology

- Only unit to offer "hands-on" engagement of the cutting deck system for up or down position
- Allows deck to "float" when on uneven surfaces
- No-tool system

DUST REMOVAL

- Vacuum port for LazerVac vacuum system

HIGH PRODUCTION SERIES GRINDLAZERS	PART #
HP DC1013 G DCS (bare)	25N658

GRINDLAZER HIGH PRODUCTION SERIES

GRINDLAZER HP DC1021 G

The GrindLazer HP DC1021 G is the high production choice when it comes to the most demanding scarifier jobs. Its “Up-Cut” cutting direction allows you to remove all types of lines found on parking lots or roadways while having the power for inlay/grooving jobs.

LINEDRIVER REQUIRED
GrindLazer HP DC1021 G with Reverse/“Up-Cut” cutting direction requires the use of a LineDriver Propel System.

HP DC1021 G shown

FEATURES FOUND ON ALL HIGH PRODUCTION SERIES SCARIFIERS

MAXIMUM ROAD HANDLING

TriBelt Drive System

- 3-cog belt design optimizes power transfer and eliminates costly downtime

FAST, EASY TURNING

Fat Track Front Swivel Wheel

- Proven front caster wheel system makes turning fast and easy
- Maneuver curves better
- No need to “muscle it” while moving

SAFER, EASIER TO MANEUVER

EasyGlide Wheel Mount System

- Front-mounted caster along with dual rear pneumatic air-filled tires
- Pneumatic air-filled tires help eliminate vibration

SAFER OPERATION

Extreme-Duty ProStart System

- Easy cutter start/stop with centrifugal clutch is one of the safest units on the market today
- Easy cold-weather starting with the turn of a key

HIGH PRODUCTION SERIES GRINDLAZER	PART #
HP DC1021 G (bare)	25M994

HP SERIES ACCESSORIES	PART #
Dust Suppression Water Kit	25N367
Retractable Line Pointer Guide	24D984

GRINDLAZER HIGH PRODUCTION SERIES

HP DC1021 G DCS

The GrindLazer HP DC1021 G DCS has the added benefit of a Depth Control System and Electric Start — increasing your accuracy and reducing fatigue.

ELIMINATE MEASURING AND GUESSWORK

New GrindLazer Depth Control System

- Quickly and easily adjust the cutter depth to align with ever-changing terrain
- Accurate cut depth for tape or thermoplastic inlays
- Eliminates damage due to dropped drums

HP DC1021 G DCS shown

ULTIMATE CONTROL AND APPLICATION FLEXIBILITY

DCS Controller

- Set “zero point” where cutter meets surface
- Displays “active depth” from zero point
- English and metric units
- Robust design stands up the harsh abuse:
  - Fully encapsulated electronic components
  - Ultimate protection from vibration, jobsite, and weather conditions

TOTAL OPERATOR CONTROL

Remote Momentary Switch

- Control cut depth while keeping both hands on the GrindLazer, even while seated on the LineDriver

REDUCED FATIGUE

Electric Start on all DCS units

- Simple start-up with the turn of a key

EASY CUTTER DEPTH CONTROL

DialDown Depth Control System

- Easy to dial down for precise cutting depth control with multiple positions

ALL-DAY COMFORT

Vibration Reduction Technology

- Up to 4X less vibration than the competition
- Pneumatic air-filled tires, comfort grips, and cart design combine to eliminate vibration, reducing user fatigue
- Comfort-grip handlebars for precise steering

ULTIMATE REMOVAL OR INLAY FLEXIBILITY

InstaCut™ Technology

- Only unit to offer hands-on engagement of the cutting deck system for up or down position
- Allows deck to float when on uneven surfaces
- No-tool system

DUST REMOVAL

- Vacuum port for LazerVac vacuum system

HIGH PRODUCTION SERIES GRINDLAZER	PART #
HP DC1021 G DCS (bare)	25N659

GRINDLAZER
HIGH PRODUCTION SERIES

HP RC820 H

The GrindLazer HP RC820 H rotary scarifier is designed for high-volume marking removal. It is designed to be mounted to skid steer equipment with low-flow hydraulic systems and uses a variety of rotary cutter assemblies to remove different types of markings.

HIGH-VOLUME REMOVAL

Single Cutter Head

- Removes 8 inch wide path
- Allows for removal on uneven surfaces

HYDRAULIC POWER

Low-Flow Hydraulic System

- Operates off most low-flow hydraulic systems



RC820 H shown

FEATURES FOUND ON ALL HIGH PRODUCTION ROTARY SCARIFIERS

NO GHOST LINES

No-Groove Line Eraser

- Rotary cut removes lines without leaving any grooves

ULTIMATE "NO DAMAGE" CONTROL

Depth Control System

- Multi-point depth adjustment for accurate depth control

Spring suspension

- Allows cutters to "float" on surface

UNIVERSAL ATTACHM

Bob-Tach® Quick-Attach

- Quick, tool-free connect to most skid loader equ

HIGH PRODUCTION SERIES GRINDLAZER	PART #
HP RC820 H (bare)	25P471

GRINDLAZER HIGH PRODUCTION SERIES

HP RC1640 H AND RC1625 G

The GrindLazer HP RC1640 H and HP RC1625 G rotary scarifiers offer the highest rate of groove-free marking removal and can be used to remove markings on both concrete and asphalt surfaces. These two machines use three cutter assemblies to remove a path up to 16 inches wide. The RC1640 H operates off the vehicle's high-flow hydraulic system, while a 25HP gasoline engine powers the RC1625 G.

RC1625 G shown

ULTIMATE REMOVAL

Adjustable Cut Width

- Three cutter heads can be swiveled to remove a path up to 16 inches wide

MULTIPLE POWER OPTIONS

- High-Flow Hydraulic (HP RC1640 H)
- 25HP Kohler® Gasoline Engine (HP RC1625 G)

IENT

Backplate

tion
ipment

JOBSITE TOUGH DESIGN

- Heavy-Duty All-Steel Frame

DUST REMOVAL

- Vacuum port for LazerVac vacuum system

RC1640 H shown

HIGH PRODUCTION SERIES GRINDLAZER	PART #
HP RC1640 H (bare)	25P472
HP RC1625 G (bare)	25P473

LINEDRIVER

WHY WALK WHEN YOU CAN RIDE?

Graco LineDriver attachments connect to your GrindLazer to provide the most innovative, user-friendly ride-on systems available to double your productivity.

LINEDRIVER FEATURES:

LOW LIGHT ACCURACY

Exclusive FlexBeam™ Break-A-Way, Light System

- Fully adjustable for all types of applications
- Break-A-Way design protects against costly repairs and keeps you striping

NO PUSHING BETWEEN JOBS

Patented Dual Foot Pedal System

- Forward and reverse capability

EASIER STARTING

Exclusive ProStart Engine Starting System

- Up to 50% less pulling effort to start the engine
- Outperforms other starting systems in cooler weather

RELIABLE, EASY-TO-START POWER

Honda Engine

- Contractor-preferred, long-lasting engine

LINEDRIVERS	PART #
LineDriver	262004
LineDriver HD	262005

CUTTERS

EXPANDED LINEUP FOR ALL APPLICATIONS AND SURFACE PROFILES

Graco offers multiple types of cutters to achieve a full range of surface profiles and removal application.

Wire Brush	Carbide Pin 72	Carbide Pin 48	Carbide Pin 24	Carbide Pick

ROTARY STYLE CUTTERS

ROTARY APPLICATIONS (5 ROTARY CUTTERS)

- Paint/thermoplastic removal
- Surface preparation without grooves

EASY CUTTER REMOVAL

Simply tilt up the engine chassis and spin off the cutter assembly

DRUM STYLE CUTTERS

DRUM APPLICATIONS (11 DRUM CUTTERS)

- Grooving — preparing surface for paint or thermoplastic
- Removal of paint and thermoplastic
- Surface leveling — taking down high spots (trip hazards)
- Inlay — thermoplastic and tape

Wire Brush	Steel Star	Steel Beam	Carbide Flail	Carbide Flat

Carbide-Tipped Miller	Full-Carbide Miller	Carbide Pick	Diamond Blade	PCD Flat	PCD Round
					

DRUM STYLE CUTTERS

Steel Star

Carbide Star

Carbide Flail

USED ON:
GRINDLAZER STANDARD DC21 E

Individual Cutter	Fully Assembled Drum	Drum Rebuild Kit	Cutter Type	Profile	Cut Width	# Cutters	# Spacers	# Rods
19A009			Carbide Flail			1		
	25M891	25M892	Carbide Flail	Fine	2 in	48	6	6
	25M889	25M890	Carbide Flail	Medium	2 in	36	42	6
	25N060	25N065	Carbide Flail	Course	2 in	30	60	6
19A063			Steel Star			1		
	25M909	25M910	Steel Star	Fine	2 in	90	0	6
	25M905	25N066	Steel Star	Medium	2 in	54	60	6
19A005			Carbide Star			1		
	25M903	25M904	Carbide Star	Fine	2 in	54	0	6
	25M901	25M902	Carbide Star	Medium	2 in	42	36	6

HANDHELD DRUM COMPONENTS

Part Number	Description
17W425	Spacer - Handheld Drum
19A416	Shaft - Handheld Drum
19A417	End Plate - Handheld Drum
17W879	Bare Drum (includes Arbor, Shafts, End Plates, and Fasteners)

ROTARY STYLE CUTTERS

Steel Star

Carbide Star

Carbide Flail

USED ON:
GRINDLAZER STANDARD RC71 E

Individual Cutter	Fully Assembled Drum	Drum Rebuild Kit	Cutter Type	Profile	Cut Width	# Cutters	# Spacers	# Rods
19A009			Carbide Flail			1		
	25M915	25M916	Carbide Flail	Fine	7 in	28	7	7
	25M911	25N068	Carbide Flail	Medium	7 in	21	21	7
19A063			Steel Star			1		
	25M919	25M920	Steel Star	Fine	7 in	56	7	7
	25M917	25M918	Steel Star	Medium	7 in	28	35	7
19A005			Carbide Star			1		
	25M931	25M932	Carbide Star	Fine	7 in	28	14	7
	25M929	25M930	Carbide Star	Medium	7 in	21	28	7

HANDHELD DRUM COMPONENTS

Part Number	Description
19A414	Spacer - Handheld Rotary
17W888	Shaft - Handheld Rotary
17W889	Bare Drum (includes Arbor only)

DRUM STYLE CUTTERS

USED ON:
GRINDLAZER STANDARD DC87
GRINDLAZER STANDARD DC89

Individual Cutter	Fully Assembled Drum	Drum Rebuild Kit	Cutter Type	Profile	Cut Width	# Cutters	# Spacers	# Rods
	25M950		Wire Brush	Fine	8 in			
19A064			Steel Star			1		
	25N069	25N127	Steel Star	Fine	8 in	208	12	4
	25N070	25N128	Steel Star	Fine	5 in	140	96	4
	25N071	25N129	Steel Star	Medium	8 in	128	108	4
	25N072	25N130	Steel Star	Medium	5 in	80	168	4
19A062			Steel Beam			1		
	25M946	25N135	Steel Beam	Fine	8 in	208	4	4
	25N077	25N136	Steel Beam	Fine	5 in	152	88	4
	25N078	25N137	Steel Beam	Medium	8 in	128	112	4
	25N079	25N138	Steel Beam	Medium	5 in	80	168	4
19A016			Carbide Flail 6 Pt			1		
	25N091	25N151	Carbide Flail 6 Pt	Fine	8 in	112	4	4
	25N092	25N152	Carbide Flail 6 Pt	Fine	5 in	76	92	4
	25M936	25N153	Carbide Flail 6 Pt	Medium	8 in	76	88	4
	25N093	25N154	Carbide Flail 6 Pt	Medium	5 in	52	148	4
	25N094	25N155	Carbide Flail 6 Pt	Course	8 in	64	120	4
	25N095	25N156	Carbide Flail 6 Pt	Course	5 in	40	176	4

Wire Brush	Steel Star	Steel Beam	Carbide Flail	Carbide Flat	Carbide-Tipped Miller	Full-Carbide Miller

Individual Cutter	Fully Assembled Drum	Drum Rebuild Kit	Cutter Type	Profile	Cut Width	# Cutters	# Spacers	# Rods
19A017			Carbide Flat			1		
	25N098	25N159	Carbide Flat	Fine	8 in	112	8	4
	25N099	25N160	Carbide Flat	Fine	5 in	72	104	4
	25M938	25N161	Carbide Flat	Medium	8 in	76	88	4
	25N100	25N162	Carbide Flat	Medium	5 in	52	152	4
	25N107	25N163	Carbide Flat	Course	8 in	68	112	4
	25N108	25N164	Carbide Flat	Course	5 in	44	168	4
19A039			Carbide-Tipped Miller			1		
	25N112	25N167	Carbide-Tipped Miller	Fine	8 in	28	36	4
	25N113	25N168	Carbide-Tipped Miller	Fine	5 in	20	104	4
	25N114	25N169	Carbide-Tipped Miller	Medium	8 in	24	68	4
	25N115	25N170	Carbide-Tipped Miller	Medium	5 in	16	140	4
	25M940	25N171	Carbide-Tipped Miller	Course	8 in	20	104	4
	25N116	25N172	Carbide-Tipped Miller	Course	5 in	12	172	4
19A038			Full-Carbide Miller			1		
	25N119	25N175	Full-Carbide Miller	Fine	8 in	40	88	4
	25N121	25N176	Full-Carbide Miller	Fine	5 in	28	140	4
	25N122	25N177	Full-Carbide Miller	Medium	8 in	36	104	4
	25N123	25N178	Full-Carbide Miller	Medium	5 in	24	156	4
	25N124	25N179	Full-Carbide Miller	Course	8 in	32	124	4
	25N125	25N180	Full-Carbide Miller	Course	5 in	20	174	4

STANDARD SERIES DRUM COMPONENTS

Part Number	Description
17W218	Spacer - Standard Drum
17X056	Shaft - Standard Drum
17X058	End Plate - Standard Drum
17X054	Bare Drum (includes Arbor, Shafts, End Plates, and Fasteners)

DRUM STYLE CUTTERS

USED ON:
GrindLazer Pro DC89
GrindLazer Pro DC1013
GrindLazer HP DC89
GrindLazer HP DC1013
GrindLazer HP DC1021

Individual Cutter	Fully Assembled Drum	Drum Rebuild Kit	Cutter Type	Profile	Cut Width	# Cutters	# Spacers	# Rods
	19A001		Wire Brush	Fine	10”			
19A061			Steel Star			1		
	25M960	25N258	Steel Star	Fine	10 in	330	0	6
	25N183	25N259	Steel Star	Fine	8 in	252	102	6
	25N184	25N260	Steel Star	Fine	6 in	180	192	6
	25N185	25N261	Steel Star	Medium	10 in	198	162	6
	25N186	25N262	Steel Star	Medium	8 in	156	216	6
	25N187	25N263	Steel Star	Medium	6 in	120	264	6
19A058			Steel Beam			1		
	25M962	25N270	Steel Beam	Fine	10 in	330	12	6
	25N194	25N271	Steel Beam	Fine	8 in	264	90	6
	25N195	25N272	Steel Beam	Fine	6 in	198	174	6
	25N196	25N273	Steel Beam	Medium	10 in	192	168	6
	25N197	25N274	Steel Beam	Medium	8 in	156	216	6
	25N198	25N275	Steel Beam	Medium	6 in	120	264	6
19A013			Carbide Flail 8 Pt			1		
	25N205	25N282	Carbide Flail 8 Pt	Fine	10 in	216	12	6
	25N206	25N283	Carbide Flail 8 Pt	Fine	8 in	168	102	6
	25N207	25N284	Carbide Flail 8 Pt	Fine	6 in	120	192	6
	25N208	25N285	Carbide Flail 8 Pt	Medium	10 in	150	133	6
	25N209	25N286	Carbide Flail 8 Pt	Medium	8 in	126	186	6
	25N210	25N287	Carbide Flail 8 Pt	Medium	6 in	96	234	6
	25M952	25N288	Carbide Flail 8 Pt	Course	10 in	120	198	6
	25N211	25N289	Carbide Flail 8 Pt	Course	8 in	96	234	6
	25N212	25N290	Carbide Flail 8 Pt	Course	6 in	66	288	6
19A014			Carbide Flat			1		
	25N216	25N294	Carbide Flat	Fine	10 in	216	12	6
	25N217	25N295	Carbide Flat	Fine	8 in	168	102	6
	25N218	25N296	Carbide Flat	Fine	6 in	120	186	6
	25M954	25N297	Carbide Flat	Medium	10 in	144	144	6
	25N219	25N298	Carbide Flat	Medium	8 in	120	192	6
	25N220	25N299	Carbide Flat	Medium	6 in	96	234	6
	25N221	25N300	Carbide Flat	Course	10 in	108	210	6
	25N222	25N301	Carbide Flat	Course	8 in	90	246	6
	25N223	25N302	Carbide Flat	Course	6 in	66	294	6

Wire Brush	Steel Star	Steel Beam	Carbide Flail	Carbide Flat	Carbide-Tipped Miller	Full-Carbide Miller	Carbide Pick
							

Individual Cutter	Fully Assembled Drum	Drum Rebuild Kit	Cutter Type	Profile	Cut Width	# Cutters	# Spacers	# Rods
19A034			Carbide-Tipped Miller			1		
	25N227	25N306	Carbide-Tipped Miller	Fine	10 in	42	132	6
	25N228	25N307	Carbide-Tipped Miller	Fine	8 in	36	174	6
	25N229	25N308	Carbide-Tipped Miller	Fine	6 in	30	216	6
	25N230	25N309	Carbide-Tipped Miller	Medium	10 in	36	174	6
	25N231	25N310	Carbide-Tipped Miller	Medium	8 in	30	210	6
	25N232	25N311	Carbide-Tipped Miller	Medium	6 in	24	252	6
	25M956	25N312	Carbide-Tipped Miller	Course	10 in	30	210	6
	25N233	25N313	Carbide-Tipped Miller	Course	8 in	24	252	6
	25N234	25N314	Carbide-Tipped Miller	Course	6 in	18	294	6
19A040			Full-Carbide Miller			1		
	25N238	25N318	Full-Carbide Miller	Fine	10 in	42	156	6
	25N239	25N319	Full-Carbide Miller	Fine	8 in	36	192	6
	25N241	25N320	Full-Carbide Miller	Fine	6 in	30	228	6
	25N242	25N321	Full-Carbide Miller	Medium	10 in	36	192	6
	25N243	25N322	Full-Carbide Miller	Medium	8 in	30	228	6
	25N244	25N323	Full-Carbide Miller	Medium	6 in	24	264	6
	25M958	25N324	Full-Carbide Miller	Course	10 in	30	228	6
	25N245	25N325	Full-Carbide Miller	Course	8 in	24	264	6
	25N246	25N326	Full-Carbide Miller	Course	6 in	18	300	6
19A080			Carbide Pick			1		
	25M964		Carbide Pick	Course	10 in			6

PRO/HP DRUM COMPONENTS

Part Number	Description
19A415	Spacer - Pro/HP Drum
17W991	Shaft - Pro/HP Drum
17W983	End Plate - Pro/HP Drum
17W989	Bare Drum (includes Arbor, Shafts, End Plates, and Fasteners)

DRUM STYLE CUTTERS

Diamond Blade	PCD Flat	PCD Round

Pro/HP Series Diamond Blades

Individual Cutter	Fully Assembled Drum
24E289	
	24D583
	24B965

Cutter Type	Profile	Cut Width	# Blades	1/8 in Spacer	1/4 in Spacer	Square Key
Diamond Blade		1/4 in	1			
Diamond Blade	Fine	10 in	38	39	2	2
Diamond Blade	Fine	5 in	19	21	21	2

DIAMOND DRUM COMPONENTS

Part Number	Description
16A259	Threaded End Plate - Diamond Drum
24D982	Arbor - Diamond Drum
16A258	Spacer - Diamond Drum .125 in
16A257	Spacer - Diamond Drum .250 in
123252	Key - Diamond Drum

Pro/HP Series PCD Cutters

PCD Flat	PCD Round
17X370	17X369
17X527	17X526
17X367	17X365
17X368	17X366
17X360	17X360
17X361	17X361
17X363	17X363
17X364	17X364
17X379	17X379

Description	Cut Width	# Inside Plates	# Outside Plates	# Mandrels	# Retainer Rings	# Pressure Rings	# Spacer Plates	# Screws
PCD Drum Assembly, 10 in Cut	10 in	12	1	1	4	0	0	9
PCD Drum Assembly, 5 in Cut	5 in	6	0	1	4	1	6	9
PCD Cutter Plate - Inside		1						
PCD Cutter Plate - Outside			1					
PCD Mandrel				1				
PCD Retainer Ring					1			
PCD Pressure Ring						1		
PCD Spacer Plate							1	
Screw, 1/2-13, Socket Head								1

ROTARY STYLE CUTTERS

Wire Brush	Carbide Pin 72	Carbide Pin 48	Carbide Pin 24	Carbide Pick

USED ON:
GrindLazer Pro RC813
GrindLazer HP RC820 H
GrindLazer HP RC1640 H
GrindLazer HP RC1625 G

Cutters Only (Complete Set)	Cutter Assembly
25N330	25N333
19A089	25N365
19A088	25N364
19A087	25N363
25N332	25N335

Cutter Type	Profile	Cut Width
Wire Brush	Fine	8 in
Carbide Pin 72	Fine	8 in
Carbide Pin 48	Medium	8 in
Carbide Pin 24	Course	8 in
Carbide Pick	Medium	8 in

LAZERVAC VACUUMS

230, 330, AND 550

When used in conjunction with the GrindLazer family of products, Graco's LazerVac Systems reduce airborne silica dust and help meet OSHA's safety requirement for airborne silica dust. *Available in electric 110/220 volt in the LazerVac 230 and 330 models, as well as a high-pressure Honda Powered System in the LazerVac 550.

SAFER JOBSITES

OSHA-Compliant Filtration*

- Removes silica dust, resulting in a safer environment

REDUCED FILTER CLOGGING

Auto-Filter Cleaning

- Separate motor operates dual paddles, which knock down the debris from the filter while you work — preventing filter clogs

MORE UPTIME

Toolless Filter Design

- Allows for quick filter change-out while on the job

REDUCED SILICA DUST

Longopac® Bag System (LazerVac 550 only)

- Continuous dust containment means less exposure to silica dust
- Large capacity for more run time, less downtime

60% more vacuum pressure when compared to LazerVac 230

** LazerVac vacuums include a filter-cleaning mechanism and meet 99% efficiency requirement of OSHA 1926.1153 Table 1 for outdoor use with walk-behind milling machines and floor grinders. LazerVac vacuums include a filter-cleaning mechanism and can meet OSHA 1926.1153 Table 1 requirement of 25 CFM minimum per inch of grinder wheel for non-mortar handhelds.*

LAZERVAC VACUUMS	PART #
LazerVac 230	25M858
LazerVac 330	25B026
LazerVac 550	25M860

LAZERVAC ACCESSORIES	PART #
Bags for LazerVac 230/330 and Cyclone 20 (20 pack)	17X695
Bags for Cyclone 32 (20 pack)	17X216
Longopac Bag for LazerVac 550 (20 m long)	17W295
Filter for LazerVac 230/330	17X185
Filter Bags for LazerVac 550 (set of 7)	17X238
Standard Secondary Filter for LazerVac 550 (set of 2)	17X247
HEPA Secondary Filter for LazerVac 550 (set of 2)	17Y254

CYCLONE SEPARATORS
20, 30, AND LP

Add one of Graco's Cyclone Separators in-line with the LazerVac to collect the larger debris prior to getting to the vacuum filter — greatly extending the time between filter changes.

Recommended for use with the LazerVac 230 and LazerVac 330

Recommended for use with the LazerVac 550

Recommended for use with LazerVac vacuums

REDUCED FILTER CLOGGING

Cyclone Design

- Removes large debris before it gets to the vacuum filter, reducing filter clogging, which allows you to work longer
- No maintenance design — just empty canister when it is full

LONGER RUN TIME

Large Capacity

- Choose between high-capacity drum or bag collection options - depending on your job

JOBSITE READY

All-Steel Construction

- Heavy-duty design will stand up to the harsh jobsite environment

LAZERVAC AND CYCLONE HOSES	PART #
Standard Vacuum Hose (30 ft)	17X156
High-Temp Vacuum Hose (30 ft)	17X704
Separator/Vacuum Connection Hose (5 ft)	17X693

CYCLONE SEPARATORS	PART #
Cyclone 20	25M861
Cyclone 32	25M862
Cyclone LP	25R090

DRUM MODELS

	HANDHELD SERIES	STANDARD SERIES		PRO SERIES	
Unit Model	**GrindLazer DC21 E**	**GrindLazer DC87 G**	**GrindLazer DC89 G**	**GrindLazer DC89 G**	**GrindLazer DC1013 G**
WEIGHT LB (KG)	12 (5.5)	150 (68)	160 (73)	190 (86)	230 (104)
CUTTER TYPE	Drum	Drum	Drum	Drum	Drum
MAX WORKING WIDTH	2 in	8 in	8 in	8 in	10 in
CUTTER DRUM DIAMETER	4 in	5 in	5 in	7 in	7 in
ENGINE/MOTOR	110V Makita	6.5 HP Honda	9 HP Honda	9 HP Honda	13 HP Honda
ENGINE START	N/A	Pull Start	Pull Start	Pull Start	Pull Start
AIR FILTER	N/A	Cyclone™	Cyclone	Cyclone	Cyclone
TACH/HOUR METER	NO	YES	YES	YES	YES
MAX CUT RATE (WALK)	100 sq ft/hr	300 sq ft/hr	400 sq ft/hr	400 sq ft/hr	700 sq ft/hr
MAX CUT RATE (LINEDRIVER)	N/A	N/A	N/A	N/A	N/A
LINEDRIVER / SKID LOADER COMPATIBLE	NO	NO	NO	NO	NO
VACUUM PORT	YES	YES	YES	YES	YES
WATER CONNECTION	NO	Optional	Optional	Optional	Optional
ELECTRONIC DEPTH CONTROL SYSTEM	NO	NO	NO	NO	NO
GRINDLAZER (BARE)	25M841	25M842	25M843	25N667	25M846
GRINDLAZER W/ WIRE BRUSH DRUM	–	26A573	26A584	26A706	26A617
GRINDLAZER W/ STEEL STAR, FINE DRUM	–	26A574	26A585	26A707	26A618
GRINDLAZER W/ STEEL BEAM, FINE DRUM	–	26A575	26A586	26A708	26A619
GRINDLAZER W/ CARBIDE FLAIL, FINE DRUM	–	26A577	26A588	26A710	–
GRINDLAZER W/ CARBIDE FLAIL, MEDIUM DRUM	25M841	26A576	26A587	26A709	26A620
GRINDLAZER W/ CARBIDE FLAIL, COARSE DRUM	–	–	–	–	26A621
GRINDLAZER W/ CARBIDE FLAT, FINE DRUM	–	26A579	26A590	26A711	–
GRINDLAZER W/ CARBIDE FLAT, MEDIUM DRUM	–	26A578	26A589	26A769	26A622
GRINDLAZER W/ CARBIDE FLAT, COARSE DRUM	–	–	–	–	26A623
GRINDLAZER W/ CARBIDE-TIPPED MILLER, FINE DRUM	–	26A581	26A592	26A713	26A625
GRINDLAZER W/ CARBIDE-TIPPED MILLER, MEDIUM DRUM	–	26A580	26A591	26A712	26A624
GRINDLAZER W/ FULL-CARBIDE MILLER, FINE DRUM	–	26A583	26A594	26A715	26A627
GRINDLAZER W/ FULL-CARBIDE MILLER, MEDIUM DRUM	–	26A582	26A593	26A714	26A626
GRINDLAZER W/ CARBIDE PICK, FINE DRUM	–	–	–	–	–
GRINDLAZER W/ DIAMOND DRUM, 10" CUT	–	–	–	–	–
GRINDLAZER W/ DIAMOND DRUM, 5" CUT	–	–	–	–	–
GRINDLAZER W/ PCD ROUND DRUM, 10" CUT	–	–	–	–	–
GRINDLAZER W/ PCD ROUND DRUM, 5" CUT	–	–	–	–	–
GRINDLAZER W/ PCD FLAT DRUM, 10" CUT	–	–	–	–	–
GRINDLAZER W/ PCD FLAT DRUM, 5" CUT	–	–	–	–	–
APPLICATIONS	• Touch-Ups • Edge Work • Walls	• Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces			• Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces • Epoxy Removal • Inlay Grooving (Requires High Speed Pulley Kit - 25M893)

PRO SERIES	HIGH PRODUCTION SERIES				
GrindLazer DC1013 G DCS	**GrindLazer DC89 G**	**GrindLazer DC1013 G**	**GrindLazer DC1013 G DCS**	**GrindLazer DC1021 G**	**GrindLazer DC1021 G DCS**
260 (118)	300 (136)	310 (141)	340 (154)	350 (159)	360 (163)
Drum	Drum	Drum	Drum	Drum, Reverse Cut	Drum, Reverse Cut
10 in	8 in	10 in	10 in	10 in	10 in
7 in	7 in	7 in	7 in	7 in	7 in
13 HP Honda	9 HP Honda	13 HP Honda	13 HP Honda	21 HP Vanguard	21 HP Vanguard
Electric Start	ProStart	ProStart	Electric Start	Electric Start	Electric Start
Cyclone	Cyclone	Cyclone	Cyclone	Donaldson® Heavy-Duty	Donaldson® Heavy-Duty
YES	YES	YES	YES	YES	YES
700 sq ft/hr	600 sq ft/hr	800 sq ft/hr	800 sq ft/hr	N/A	N/A
N/A	1,300 sq ft/hr	1,700 sq ft/hr	1,700 sq ft/hr	2,100 sq ft/hr	2,100 sq ft/hr
NO	Optional	Optional	Optional	Required	Required
YES	YES	YES	YES	YES	YES
Optional	Optional	Optional	Optional	Optional	Optional
YES	NO	NO	YES	NO	YES
25N668	25M992	25M993	25N658	25M994	25N659
26A716	26A658	26A669	26A733	26A681	26A745
26A717	26A659	26A670	26A734	26A682	26A746
26A718	26A660	26A671	26A735	26A683	26A747
–	26A662	–	–	–	–
26A719	26A661	26A672	26A736	26A684	26A748
26A720	–	26A673	26A737	26A685	26A749
–	26A664	–	–	–	–
26A721	26A663	26A674	26A738	26A686	26A750
26A722	–	26A675	26A739	26A687	26A751
26A724	26A666	26A677	26A741	26A689	26A753
26A723	26A665	26A676	26A740	26A688	26A752
26A726	26A668	26A679	26A743	26A693	26A755
26A725	26A667	26A678	26A742	26A692	26A754
26A727	–	26A680	26A744	26A694	26A756
–	–	–	–	25N360	26A757
–	–	–	–	25N361	26A758
–	–	26A787	26A783	26A763	26A759
–	–	26A788	26A784	26A764	26A760
–	–	26A789	26A785	26A765	26A761
–	–	26A790	26A786	26A766	26A762
• Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces • Epoxy Removal • Inlay Grooving (Requires High Speed Pulley Kit - 25M893)	• Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces	• Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces • Epoxy Removal		• Traffic Paint Removal • Thermoplastic Removal • Smoothing Uneven Surfaces • Epoxy Removal • Inlay Grooving	

ROTARY MODELS

	HANDHELD SERIES	PRO SERIES		HIGH PRODUCTION SERIES		
Unit Model	**GrindLazer RC71 E**	**GrindLazer RC813 G**	**GrindLazer RC813 G DCS**	**GRINDLAZER RC820 H**	**GRINDLAZER RC1640 H**	**GRINDLAZER RC1625 G**
WEIGHT LB (KG)	15 (6.8)	450 (204)	460 (209)	480 (218)	956 (434)	956 (434)
CUTTER TYPE	Rotary	Rotary	Rotary	Rotary	Rotary	Rotary
MAX WORKING WIDTH	7 in	8 in	8 in	8 in	16 in	16 in
ENGINE/MOTOR	110 V Makita	13 HP Honda	13 HP Honda	20 HP Hydraulic	40 HP Hydraulic	25 HP Kohler Gas
ENGINE START	N/A	Electric Start	Electric Start	N/A	N/A	Electric Start
AIR FILTER	N/A	Standard	Standard	N/A	N/A	Standard
TACH/HOUR METER	NO	YES	YES	YES	YES	YES
MAX CUT RATE (WALK)	100 sq ft/hr	800 sq ft/hr	800 sq ft/hr	N/A	N/A	N/A
MAX CUT RATE (LINEDRIVER/SKID LOADER)	N/A	N/A	N/A	1000 sq ft/hr	2400 sq ft/hr	2400 sq ft/hr
LINEDRIVER/SKID LOADER COMPATIBLE	NO	NO	NO	Bob-Tach® Skid Loader Connection		
VACUUM PORT	YES	YES	YES	YES	YES	YES
WATER CONNECTION	NO	NO	NO	NO	NO	NO
ELECTRONIC DEPTH CONTROL SYSTEM	NO	NO	YES	NO	NO	NO
GRINDLAZER (BARE)	25M848	25M847	25N669	25P471	25P472	25P473
GRINDLAZER W/ CARBIDE FLAIL, MEDIUM DRUM	25M848	–	–	–	–	–
GRINDLAZER W/ WIRE ROTARY BRUSH	–	26A653	26A728	25R245	25R286	25R287
GRINDLAZER W/ CARBIDE PIN 72 ROTARY	–	26A654	26A729	25R288	25R289	25R290
GRINDLAZER W/ CARBIDE PIN 48 ROTARY	–	26A655	26A730	25R291	25R292	25R293
GRINDLAZER W/ CARBIDE PIN 24 ROTARY	–	26A656	26A731	25R296	25R295	25R294
GRINDLAZER W/ CARBIDE PICK ROTARY	–	26A657	26A732	25R297	25R298	25R299
APPLICATIONS	• Touch-Ups • Edge Work • Walls	• Traffic Paint Removal • Thermoplastic Removal • Surface Prep Prior to Applying Markings				

GRINDLAZER ACCESSORIES SPECIFICATIONS

	VACUUMS			SEPARATORS		
Unit Model	**LazerVac 230**	**LazerVac 330**	**LazerVac 550**	**Cyclone 20 Separator**	**Cyclone 32 Separator**	**Cyclone LP Separator**
PART NUMBER	25M858	25B026	25M860	25M861	25M862	25R090
AIR POWER	925 Air-Watts	1,665 Air-Watts	2,045 Air-Watts	–	–	–
AIR FLOW	260 CFM	375 CFM	300 CFM	–	–	–
VACUUM PRESSURE	90" Water	100" Water	150" Water	–	–	–
CAPACITY	20 gal	20 gal	Bag Collection	20 gal	32 gal	Bag Collection
ENGINE/MOTOR	2.0 HP, 110V	3.0 HP, 230V	13 HP Honda	–	–	–

	LINEDRIVERS	
Unit Model	**LineDriver**	**LineDriver HD**
PART NUMBER	262004	262005
OPERATING SPEED: **FORWARD MPH (KM/H)** **REVERSE MPH (KM/H)**	 to 10 (16) to 6 (10)	 to 10 (16) to 6 (10)
ENGINE SIZE CC (HP)	Honda 160 (5.5)	Honda 200 (6.5)
WEIGHT LB (KG)	265 (120)	275 (125)
FUEL CAPACITY GAL (LTRS)	.95 (3.6)	.95 (3.6)
ENGINE STARTING SYSTEM	Manual Pull	ProStart

SCARIFY WITH CONFIDENCE

Industry-Leading Warranty Protection

Behind every piece of equipment we manufacture is the industry's strongest warranty. You may never need to use Graco's warranty — but if you do, we will be there.

ENGINE WARRANTY

Three-year engine warranty for Honda engines and two-year warranty for Vanguard™ engines.

1-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire GrindLazer.

CONVENIENT SERVICE

Graco offers authorized distributor locations in North America for service and warranty repair.

**NORTH AMERICA ONLY. See your local Graco Distributors for country specifics. See printed product warranty for complete warranty terms and conditions.*

Nobody Else Builds Scarifiers Like This.

For more information visit graco.com

Every Graco purchase comes with A+ Customer Service.

Questions?
Call (844) 241-9499

©2020 Graco Inc. 344384 Rev. D 1/20 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/patents